

**Leading Causes of Death for Women
Whitley County vs. Indiana, 1995-1999**

| | | Whitley County | Indiana |
|-----------------|-------------------|----------------|---------|
| All Causes | Deaths | 689 | 136,704 |
| | Age-Adjusted Rate | 699.85 | 778.40 |
| Cardiovascular | Deaths | 316 | 59,221 |
| | Age-Adjusted Rate | 306.13 | 326.70 |
| Homicide | Deaths | 5 | 555 |
| | Age-Adjusted Rate | * u | 3.65 |
| HIV/AIDS | Deaths | 0 | 109 |
| | Age-Adjusted Rate | * u | 0.72 |
| Lung Cancer | Deaths | 31 | 7,517 |
| | Age-Adjusted Rate | 35.11 | 45.37 |
| Breast Cancer | Deaths | 34 | 4,778 |
| | Age-Adjusted Rate | 37.29 | 29.16 |
| Ovarian Cancer | Deaths | 4 | 1,564 |
| | Age-Adjusted Rate | * u | 9.48 |
| Cervical Cancer | Deaths | 3 | 522 |
| | Age-Adjusted Rate | * u | 3.31 |

s = significantly different from the state rate

u = unstable rate (numerator less than 20)

Source: Indiana State Department of Health,
Epidemiology Resource Center, Data Analysis Team